Certificate Number UL-US-L208470-113-40500102-2

Report Reference E208470-20100504

Date 13-Sep-2022

Issued to: Guenther Spelsberg GmbH + Co. KG

Im Gewerbepark 1 Schalksmuehle 58579

Germany

This is to certify that NKCR - Auxiliary Devices representative samples of Son Addendum Page for I

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 508, 18th Ed., Issue Date: 2018-03-30

Additional Information: See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.






Certificate Number UL-US-L208470-113-40500102-2

Report Reference E208470-20100504

Date 13-Sep-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Enclosure Series, Alternate designation for	Auxilary Device Enclosed
Intransparent cover, 6-s, 6-sv, 9-s or 9-sv	VII. VII. VII. VII. V
Enclosure Series, Alternate designation for transparent	Auxilary Device Enclosed
cover, T6-s, T6-sv, T9-s or T9-sv	
Enclosure Series, Alternate designations for bottom	Auxilary Device Enclosed
part, TG PC, followed by 88, 1208, 1212 or 1608	
followed by `blank' or -o	
Enclosure Series, TG PC, followed by 88, 1208, 1212	Auxiliary devices
or 1608, followed by 6 or 9, followed by 'blank' or t,	
followed by -o and may be followed by S or -SV.	ハーレスートノートノート





Bruce Mahrenholz, Director North American Certification Program

Certificate Number UL-CA-L208470-313-40500102-2

Report Reference E208470-20100504

Date 13-Sep-2022

Issued to: Guenther Spelsberg GmbH + Co. KG

Im Gewerbepark 1 Schalksmuehle 58579

Germany

This is to certify that NKCR7 - Auxiliary representative samples of

NKCR7 - Auxiliary Devices Certified for Canada See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 NO. 14-18, 13th Ed., Issue Date: 2018-03-01

Additional Information: See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.





Certificate Number UL-CA-L208470-313-40500102-2

Report Reference E208470-20100504

Date 13-Sep-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Enclosure Series, Alternate designation for Intransparent cover, 6-s, 6-sv, 9-s or 9-sv	Auxilary Device Enclosed
Enclosure Series , Alternate designation for transparent cover, T6-s, T6-sv, T9-s or T9-sv	Auxilary Device Enclosed
Enclosure Series, Alternate designations for bottom part, TG PC, followed by 88, 1208, 1212 or 1608 followed by `blank´ or -o	Auxilary Device Enclosed
Enclosure Series, TG PC, followed by 88, 1208, 1212 or 1608, followed by 6 or 9, followed by 'blank' or t, followed by -o and may be followed by S or -SV.	Auxiliary devices

