

Domestic connector - with cable gland, with bayonet cover



| Product description | |
|---------------------|--------------------------|
| BALS-Prd.-Nr | 747 |
| EAN | 4024941007474 |
| Product category | Domestic connector |
| Current | 16A |
| Number of poles | 3p |
| Poles | 2P+PE |
| Voltage | 250V |
| Frequency | alternating current (AC) |

| Product description | |
|------------------------|--|
| Protection degree | IP68 |
| Colour code | gray RAL 7035 |
| Colour of appliance | Hinged lid grey RAL 7035, Bayonet ring grey RAL 7035, Cable gland grey RAL 7035, Enclosure grey RAL 7035 |
| Connection design | head-screw terminal |
| Maximum conductor size | 2,5 qmm |
| Cable entry | Cable gland |
| Height | 130mm |
| Width | 66mm |
| Depth | 75mm |
| Material of enclosure | Polyamide |
| Contact | The contact carrier is made of polyamide, the contacts are brass nickel plated |

| Additional technical properties | |
|---------------------------------|---|
| | with german earthing system |
| | For cable diameter up to max. 14,0 mm, With cable gland, With hammer symbol |
| | With bayonet cover on strap |

| Logistics data | |
|----------------|-----------------|
| Weight/pcs | 0.15 kg / Piece |
| Packaging | Carton |

| Logistics data | |
|----------------|---------------|
| Content amount | 10 ST |
| EAN | 4024941959216 |
| Length | 275 mm |
| Width | 175 mm |
| Height | 137 mm |
| Weight | 1.625 kg |
| Volume | 5,737.5 ccm |

