

## Plug - with screwless terminals, for harsh applications



| Product description       |                       |
|---------------------------|-----------------------|
| BALS-Prd.-Nr              | 21250                 |
| EAN                       | 4024941212502         |
| Product category          | QUICK-CONNECT TE plug |
| Current                   | 16A                   |
| Number of poles           | 4p                    |
| Arrangement of phases     | 3P+PE                 |
| Position of earth contact | 9 h                   |
| Voltage                   | 200 - 250V~           |
| Frequency                 | 50/60Hz               |

| Product description    |  |
|------------------------|--|
| Protection degree      | IP67   |
| Colour code            | blue RAL 5015  |
| Colour of appliance    | Collar blue RAL 5015, Bayonet ring grey RAL 7035, Cable gland grey RAL 7035, Housing cover blue RAL 5015 |
| Connection design      | screwless spring-clamp technology  |
| Maximum conductor size | 2,5 qmm  |
| Cable entry            | Cable gland  |
| Height                 | 146mm  |
| Width                  | 79mm   |
| Depth                  | 79mm   |
| Material of enclosure  | Polyamide  |
| Contacts               | The contact carrier is made of high temperature resistant material, the contacts are brass nickel plated |

| Additional technical properties |   |
|---------------------------------|---|
|                                 | For cable diameter from 8 up to max. 18 mm, Multi-Grip cable gland with gasket, integrated cable clamp and additional water evacuation openings |

| Logistics data |                  |
|----------------|------------------|
| Weight/pcs     | 0.173 kg / Piece |
| Packaging      | Bag              |
| Content amount | 1 ST             |
| EAN            | 4024941212502    |

| Logistics data |               |
|----------------|---------------|
| Length         | 79 mm         |
| Width          | 79 mm         |
| Height         | 146 mm        |
| Weight         | 0.174 kg      |
| Volume         | 911.186 ccm   |
| Packaging      | Carton        |
| Content amount | 10 ST         |
| EAN            | 4024941831901 |
| Length         | 245 mm        |
| Width          | 177 mm        |
| Height         | 185 mm        |
| Weight         | 1.863 kg      |
| Volume         | 7,140 ccm     |

