

## Angled plug - with inward-curving cable sleeve




Product description	
BALS-Prd.-Nr	231
EAN	4024941002318
Product category	Angled plug
Current	16A
Number of poles	3p
Poles	2P+PE
Position of earth contact	6 h
Voltage	200 up to 250V
Frequency	50 and 60Hz

Product description	
Protection degree	IP44
Colour code	blue RAL 5015
Colour of appliance	Collar blue RAL 5015, anti-kink sleeve gr RAL 7035, Enclosure grey RAL 7035
Connection design	with screw terminal
Maximum conductor size	2,5 qmm
Cable entry	Anti-kink sleeve
Height	89mm
Width	51mm
Depth	78mm
Material of enclosure	Polyamide
Contact	The contact carrier is made of polyamide, The contacts are brass

Additional technical properties	
	With internal cable sleeve, With short cable sleeve

Logistics data	
Weight/pcs	0.125 kg / Piece
Packaging	Bag
Content amount	1 ST
EAN	4024941002318
Length	51 mm

Logistics data	
Width	78 mm
Height	89 mm
Weight	0.126 kg
Volume	354.042 ccm
Packaging	Carton
Content amount	10 ST
EAN	4024941968201
Length	275 mm
Width	175 mm
Height	137 mm
Weight	1.375 kg
Volume	5,737.5 ccm



2 MB 156