

## Wall mounting socket outlet, fused - housing dimensions 260x160 with mounting rail



| Product description           |                                       |
|-------------------------------|---------------------------------------|
| BALS-Prd.-Nr                  | 15036                                 |
| EAN                           | 4024941150361                         |
| product category (PG)         | TE wall mounting socket outlet, fused |
| current (A)                   | 63A                                   |
| number of poles (P99)         | 5p                                    |
| number of poles (P)           | 3p+N+PE                               |
| position of earth contact (H) | 6 h                                   |
| voltage (V)                   | 200/346 up to 240/415V                |

| Product description         |  |
|-----------------------------|--|
| frequency (HZ)              | 50 and 60Hz  |
| protection degree (SA)      | IP44   |
| colour code 1 (KF1)         | red RAL 3000   |
| Colour of appliance         | Operating window smoky topaz, Hinged lid red RAL 3000, Housing screws grey RAL 7035, Housing bottom grey RAL 7035, Housing top grey RAL 7035 |
| connection design (AT)      | screw terminal as box terminal with Kontex-contact   |
| maximum conductor size (LQ) | 25.0 qmm   |
| cable entry (KE)            | top entry M40 bottom entry M40/M32   |
| Height                      | 303mm  |
| Width                       | 160mm  |
| Depth                       | 185mm  |
| dimension of enclosure (GG) | 260x160 mm (HxW)   |
| material of enclosure (GM)  | Polycarbonate  |
| contact                     | The contact carrier is made of high temperature resistant material, the contacts are brass nickel plated                                     |

| Additional technical properties |  |
|---------------------------------|--|
|                                 | The cable entry is one at top and two at bottom open   |
|                                 | With mounting rail, Protective cover for fuses with stamping, With mounting rail for 7 modules, vertical |

| Logistics data |                  |
|----------------|------------------|
| Weight/pcs     | 1.895 kg / Piece |

| Logistics data |               |
|----------------|---------------|
| Packaging      | Carton        |
| Content amount | 1 ST          |
| EAN            | 4024941150361 |
| Length         | 325 mm        |
| Width          | 217 mm        |
| Height         | 210 mm        |
| Weight         | 2.111 kg      |
| Volume         | 13,588.4 ccm  |



14 MB 14