

Han P male crimp contact 1,0 mm² (Ag)



Image is for illustration purposes only. Please refer to product description.

| | |
|--------------------|---|
| Part number | 09 35 000 6105 |
| Specification | Han P male crimp contact 1,0 mm ² (Ag) |
| HARTING eCatalogue | https://b2b.harting.com/09350006105 |

Identification

| | |
|----------------------------|---------------------------------|
| Category | Contacts |
| Series | Han [®] PushPull (V14) |
| Type of contact | Crimp contact |
| Description of the contact | Straight |

Version

| | |
|-----------------------|-----------------|
| Gender | Male |
| Manufacturing process | Turned contacts |

Technical characteristics

| | |
|-------------------------|-------------------|
| Conductor cross-section | 1 mm ² |
| Conductor cross-section | AWG 18 |
| Stripping length | 6 mm |
| Mating cycles | ≥500 |

Material properties

| | |
|-----------------------------|--|
| Material (contacts) | Copper alloy |
| Surface (contacts) | Silver plated |
| RoHS | compliant with exemption |
| RoHS exemptions | 6(c): Copper alloy containing up to 4 % lead by weight |
| ELV status | compliant with exemption |
| China RoHS | 50 |
| REACH Annex XVII substances | Not contained |



Pushing Performance
Since 1945

Material properties

| | |
|--------------------------------------|--------------------------------------|
| REACH ANNEX XIV substances | Not contained |
| REACH SVHC substances | Yes |
| REACH SVHC substances | Lead |
| ECHA SCIP number | b51e5b97-eeb5-438b-8538-f1771d43c17d |
| California Proposition 65 substances | Yes |
| California Proposition 65 substances | Lead Nickel |

Specifications and approvals

| | |
|----------------|--|
| Specifications | IEC 61076-3-118 |
| UL / CSA | UL 1977 ECBT2.E235076 CSA-C22.2 No. 182.3 ECBT8.E235076 |

Commercial data

| | |
|--------------------------------|--|
| Packaging size | 100 |
| Net weight | 0.85 g |
| Country of origin | Germany |
| European customs tariff number | 85366990 |
| GTIN | 5713140229181 |
| eCl@ss | 27440204 Contact for industrial connectors |