

## Wall mounting socket outlet - housing dimensions 66x54



Product description	
BALS-Prd.-Nr	724
EAN	4024941007245
Product category	Domestic wall mounting socket outlet, straight
Current	16A
Number of poles	3p
Arrangement of phases	2P+PE
Voltage	250V~
Frequency	AC
Protection degree	IP44

Product description	
Colour code	blue RAL 5015
Colour of appliance	Housing bottom blue RAL 5015, Enclosure blue RAL 5015, Hinged lid blue RAL 5015, anti-kink sleeve grey RAL 7035
Connection design	head-screw terminal
Maximum conductor size	4,0 qmm
Cable entry	Anti-kink sleeve
Height	66mm
Width	54mm
Depth	56.5mm
Dimension of enclosure	66x54 mm (HxW)
Material of enclosure	Polyamide
Contacts	The contact carrier is made of polyamide, the contacts are brass nickel plated

Additional technical properties	
	The cable entry one at top and one at bottom with a grommet closed, one cable entry one rear sided closed, The connection is on the side

Logistics data	
Weight/pcs	0.107 kg / Piece
Packaging	Bag
Content amount	1 ST
EAN	4024941007245

Logistics data	
Length	56.5 mm
Width	54 mm
Height	66 mm
Weight	0.108 kg
Volume	201.366 ccm
Packaging	Carton
Content amount	20 ST
EAN	4024941959483
Length	245 mm
Width	177 mm
Height	185 mm
Weight	2.273 kg
Volume	7,140 ccm

